Sinova Bedding

BEDDING

# Bedding Components Fitting for Adjustable Beds & Frames & Bench-Tables












**Product code: BR/00100-3**

**Note: Suitable for all beds 70-80-90-100 cm**

## It has been designed by Sinova Bedding

Sinova Special 100 Serie

NEW PRODUCT



**Product code: BX_00200**

**Note: Suitable for all beds 70-80-90-100 cm**

Sinova Special 200 Serie

NEW PRODUCT

# Note: Boxspring with Extra Neck Movement

**It has been designed by Sinova Bedding**

## Sinova Special 300 Serie










**Product code: BX_00300**

**Note: Suitable for all beds 70-80-90-100 cm**

Sinova Special 300 Serie

NEW PRODUCT

**It has been designed by Sinova Bedding**

**Note: Profile Frame Boxspring**



## Eco flat br mechanism

## Product code: BR_02589




L dimension can change according to your mechanism width dimension.

**Mechanizm Montage**







**Variant1**

## Br mechanism

**Product code: 1BR_02607**

**Telescopic mechanism**



**Product code: 1BR_02694**
**Telescopic mechanism**

**Variant1:It can be used in mechanisms between 650 and 950 mm..**

**Variant2 :It can be used in mechanisms between 1150 and 1350 mm..**




**Product code:BR_02493**

**Br mechanism**

**With wheel**

# Mechanizmfor Electric Adjustable Bed Frame

## EconomicFitting
## 1BR//00956




| Claw position | Middle | Side |
|---|---|---|
| | | |
| Claw | | Detail page 25 |
| Side |  | |
| | Detail page 26 | |
| Head | | Detail page 25 |
| Foot | | detail page 24 |

## Classic Fitting
## 1BR//00643
( Two-piecelever)




Lengthdetail

Small variant




BR 643-22

Longvariant




BR 643-23

| Claw position | Middle | Side |
|---|---|---|
| | | |
| Claw | | Detail page 25 |
| Side | | |
| | Detail page 26 | |
| Head | | Detail page 25 |
| Foot | | detail page 24 |

## OptimizedFitting
## 1BR//01832
(One-piecelever)




Bendingdetail

Inside variant



Outsidevariant



Streightvariant



| Claw position | Middle | Side |
|---|---|---|
| | | |
| Claw | | Detail page 25 |
| Side |  | |
| | Detail page 26 | |
| Head | | Detail page 25 |
| Foot | | detail page 24 |

# Hinges

Seperatepacked

## 1BR//01271-1 / 1BR//01271-8






| | |
|---|---|
| **Material** | 3mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 186g |
| **Colli Pallette** | |
| **Measure** | **130X200X300mm/1300X1200X1200mm** |
| **Quantity** | 20010.000 (50 Colli) |
| **Weight** | 37,2kg.1.860 kg |

## 1BR//01271-9 / 1BR//01271-3




| | |
|---|---|
| **Material** | 3mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 112g |
| **Colli Pallette** | |
| **Measure** | **130X200X300mm/1300X1200X1200mm** |
| **Quantity** | 20010.000 (50 Colli) |
| **Weight** | 22,4kg.1.120 kg |

## 1BR//01271-7 / 1BR//01271-12






| | |
|---|---|
| **Material** | 3mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 150g |
| **Colli Pallette** | |
| **Measure** | **130X200X300mm/1300X1200X1200mm** |
| **Quantity** | 20010.000 (50 Colli) |
| **Weight** | 30kg.1.500 kg |

## 1BR//01271-4 / 1BR//01271-13






| | |
|---|---|
| **Material** | 3mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 150g |
| **Colli Pallette** | |
| **Measure** | **130X200X300mm/1300X1200X1200mm** |
| **Quantity** | 20010.000 (50 Colli) |
| **Weight** | 30kg.1.500 kg |

## 1BR//02121-6




| | |
|---|---|
| **Material** | 3mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 130g |
| **Colli Pallette** | |
| **Measure** | **130X200X300mm/1300X1200X1200mm** |
| **Quantity** | 20010.000 (50 Colli) |
| **Weight** | 26kg.1.300 kg |

## 1BR//02121-7




| | |
|---|---|
| **Material** | 3mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 130g |
| **Colli Pallette** | |
| **Measure** | **130X200X300mm/1300X1200X1200mm** |
| **Quantity** | 20010.000 (50 Colli) |
| **Weight** | 26kg.1.300 kg |

## Side connector

**Framefixings** Mountedon mechanizm

Product code: 1BR//0643-14




| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 93g |

Product code: 1BR//0643-15







| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 93g |

Product code: 1BR//0643-16




| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 140g |

Product code: 1BR//0643-17







| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 140g |

Product code: 1BR//0643-24




| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 107g |

For Italien market

Product code: 1BR//0643-25




| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 122g |

For Italien market

# Bedding Connector Parts




| | |
|---|---|
| **Material** | 4mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 420g. |







| | |
|---|---|
| **Material** | 3mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 400g. |



# Fixingpoints




## FootsideFixing

Mountedon mechanizm

Product code: 1BR//00643/20




| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 57g |

Product Code: 1BR//00643/26




| | |
|---|---|
| **Material:** | 3mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 105g |

## L-ShapedStopper

Seperatepacked

Product code: 1BR//0643-18






| | |
|---|---|
| **Material** | 2,5mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 42g |
| **Colli Pallette** | |
| **Measure** | **13X20X30mm800X1200X930mm** |
| **Quantity** | 20010.000 (50 Colli) |
| **Weight** | 26kg.1300kg |

Product code: 1BR//0643-19






| | |
|---|---|
| **Material** | 2,5mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 50g |
| **Colli Pallette** | |
| **Measure** | **13X20X30mm800X1200X930mm** |
| **Quantity** | 20010.000 (50 Colli) |
| **Weight** | 26kg.1300kg |

# Fixingpoints




## HeadsideFixings

Mountedon mechanizm

Product Code: 1BR//000643-21




| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 37g |

Product Code: 1BR//00955/8




| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 78g |

Product Code: 1BR//02005/3




| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 50g |

## Claws

Product code: 1BX//02400-1
OptimizedforOkin




| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 130g |

Product code: 1BX//02400-2
OptimizedforGermany Motions




| | |
|---|---|
| **Material:** | 2,5mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 141g |

Product code: 1BX//02400-3
Optimized for Okin




| | |
|---|---|
| **Material:** | 3mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 142g |

# MechanismConfigurations

| Code | BR//00956 | | BR//00643 | | BR//01832 | |
|---|---|---|---|---|---|---|
| **Modell** | **Economic Fitting** | | **Classic Fitting** | | **Optimized Fitting** | |
| Description | 2x Hinge; 4x L Connector | | 4x Hinge; 4x L Connector | | 4x Hinge; 4x L Connector | |
| Image |  Optional middle or side | |  Optional middle or side | | Optional middle or side | |
| Claw Position | ☐ middle | ☐ side | ☐ midddle | ☐ side | ☐ middle | ☐ side |
| Length | | | ☐ 562mm (Long) | ☐ 462 (Small) | ☐ 562mm | ☐ 462 (Small) |
| Bend | | | | | ☐ inside | ☐ outside straight |
| **Side Connector** | **BR//00643-14** | **BR//00643-15** | **BR//00643-16** | **BR//000643-17** | **BR//000643-24** | **BR//000643-25** |
| Mounted on mechanizm | ☐  without dome | ☐  with dome | ☐ without dome | ☐  with dome | ☐  with dome | ☐  with dome |
| **Claw** | **BX//02400-1** | **BX//02400-2** | **BX//02400-3** | | For Italien market | |
| Mounted on mechanizm | Optimized for Okin | Optimized for Germany Motions | Optimized for Okin | Note: | | |
| **Headside Fixings** | **BR//00643-21** | **BR//00955-8** | **BR//02005-3** | | | |
| Mounted on mechanizm | ☐ | ☐ | ☐ | | | |
| **Footside Fixings** | **BR//00643-20** | **BR//00643-26** | | | | |
| Mounted on mechanizm | ☐ | ☐ | | | | |
| **L Connector** | **BR//00643-18** | **BR//00643-19** | | | | |
| Seperate packed | ☐ | ☐ | | | | |
| **Hinge without dome** | **BR//1271-9** | **BR//1271-8** | **BR//1271-13** | **BR//1271-12** | **BR//02121-2** | **BR//02121-1** |
| | |  | |  | | |
| **Hinge** | **1BR//1271-3** | **1BR//1271-1** | **1BR//1271-4** | **1BR//1271-7** | **1BR//02121** | **1BR//02121-7** |
| Seperate packed | ☐ ..... pcs. | ☐ ..... pcs. | ☐ ..... pcs. | ☐ ..... pcs. | -6 ..... pcs. | ☐ ..... pcs. |
| | Without stopper | With stopper | without stopper | With stopper | With stopper |  With stopper |

# Measurament Tables

| Economic Version BR 00956 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Bed size | | L1 | 700 | 800 | 900 | 1000 | 1200 | 1400 |
| Side connector: Part codes 643 — Variants 14 15 16 17 24 25 |  | L2 | 650 | 750 | 850 | 950 | 1150 | 1350 |
| Footside fixings: Part code 643-26 | | L3 | 606 | 706 | 806 | 906 | 1106 | 1306 |
| Footside fixings: Part code 643-20 | | L3 | 610 | 710 | 810 | 910 | 1110 | 1268 |
| | | L4 | 600 | 700 | 800 | 900 | 1000 | 1300 |




| Classic Version BR 00643 (Two-piece lever) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Bed size | | L1 | 700 | 800 | 900 | 1000 | 1200 | 1400 |
| Side connector: Part code 643 — Variants 14 15 16 17 24 25 |  | L2 | 650 | 750 | 850 | 950 | 1150 | 1350 |
| Side fixings: Part code 643-26 | | L3 | 606 | 706 | 806 | 906 | 1106 | 1306 |
| Side fixings: Part code 643-20 | | L3 | 610 | 710 | 810 | 910 | 1110 | 1268 |
| Footside fixings: Part code 643-21 | | L4 | 666 | 766 | 866 | 966 | 1166 | 1366 |
| Footside fixings: Part code 955/8 | | L4 | 633 | 733 | 833 | 933 | 1133 | 1333 |
| Footside fixings: Part code 2005/3 | | L4 | 658 | 758 | 858 | 958 | 1158 | 1358 |



# MeasuramentTables

| Optimized BR 01832 (One-piece lever) (Inside version) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Bed size | | | | | | | mm | | | | |
| | | | | | | L1 | 700 | 800 | 900 | 1000 | 1200 | 1400 |
| Headside fixingsFootside fixingsSide connector | Part code | | | | 643 | | | | | | | |
| | Variants | | | | | | | | | | | |
| | 14 | 15 | 16 | 17 | 24 | 25 | L2 | 650 | 750 | 850 | 950 | 1150 | 1350 |
| | | | | | | | | | | | | | |
| Headside fixingsFootside fixingsSide connector | Part code | | | | | | | | | | | | |
| | 643-26 | | | | | | L3 | 606 | 706 | 806 | 906 | 1106 | 1306 |
| | 643-20 | | | | | | | 610 | 710 | 810 | 910 | 1110 | 1310 |
| Headside fixingsFootside fixingsSide connector | Part code | | | | | | | | | | | | |
| | 643-21 | | | | | | L4 | 585 | 685 | 785 | 885 | 1085 | 1285 |
| | 955/8 | | | | | | | 552 | 652 | 752 | 852 | 1052 | 1252 |
| | 2005/3 | | | | | | | 577 | 677 | 777 | 877 | 1077 | 1277 |

Inside version




| Optimized BR 01832 (One-piece lever) (Outside version) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Bed size | | | | | | | mm | | | | |
| | | | | | | L1 | 700 | 800 | 900 | 1000 | 1200 | 1400 |
| Headside fixingsFootside fixingsSide connector | Part code | | | | 643 | | | | | | | |
| | Variants | | | | | | | | | | | |
| | 14 | 15 | 16 | 17 | 24 | 25 | L2 | 650 | 750 | 850 | 950 | 1150 | 1350 |
| | | | | | | | | | | | | | |
| Headside fixingsFootside fixingsSide connector | Part code | | | | | | | | | | | | |
| | 643-26 | | | | | | L3 | 606 | 706 | 806 | 906 | 1106 | 1306 |
| | 643-20 | | | | | | | 610 | 710 | 810 | 910 | 1110 | 1268 |
| Headside fixingsFootside fixingsSide connector | Part code | | | | | | | | | | | | |
| | 643-21 | | | | | | L4 | 648 | 748 | 848 | 948 | 1148 | 1348 |
| | 955/8 | | | | | | | 615 | 715 | 815 | 915 | 1115 | 1315 |
| | 2005/3 | | | | | | | 640 | 740 | 840 | 940 | 1140 | 1340 |

Outsideversion




| Optimized BR 01832 (One-piece lever) (Streight version) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Bed size | | | | | | | mm | | | | |
| | | | | | | L1 | 700 | 800 | 900 | 1000 | 1200 | 1400 |
| Headside fixingsFootside fixingsSide connector | Part code | | | | 643 | | | | | | | |
| | Variants | | | | | | | | | | | |
| | 14 | 15 | 16 | 17 | 24 | 25 | L2 | 650 | 750 | 850 | 950 | 1150 | 1350 |
| |  | | | | | | | | | | | | |
| Headside fixingsFootside fixingsSide connector | Part code | | | | | | | | | | | | |
| | 643-26 | | | | | | L3 | 606 | 706 | 806 | 906 | 1106 | 1306 |
| | 643-20 | | | | | | | 610 | 710 | 810 | 910 | 1110 | 1268 |
| Headside fixingsFootside fixingsSide connector | Part code | | | | | | | | | | | | |
| | 643-21 | | | | | | L4 | 638 | 738 | 838 | 938 | 1138 | 1338 |
| | 955/8 | | | | | | | 605 | 705 | 805 | 905 | 1105 | 1305 |
| | 2005/3 | | | | | | | 630 | 730 | 830 | 930 | 1130 | 1330 |

Streightversion



# Connection Partfor"zerlegteLattenrost"

| | |
|---|---|
| **Material** | 2,5mm Steel |
| **Surface** | Galvanized |
| **Weight** | 251g |
| **Colli Pallette** | |
| **Measure** | **500X1200X1200mm** |
| **Quantity** | 6.000 |
| **Weight** | 1504 kg. |

**1BR//01463/2**

**H: 17mm**
**W: 30mm**
**D: 300mm**

**Powder coating in any Ral colour**

| | |
|---|---|
| **Material** | 3mm Steel |
| **Surface** | Galvanized |
| **Weight** | 225g |
| **Colli Pallette** | |
| **Measure** | **500X1200X1200mm** |
| **Quantity** | 6500 |
| **Weight** | 1465 kg |

**1BR//01463/3**

H: 16mm
W: 28mm
D: 240mm

**Powder coating in any Ral colour**

## One-PieceBigFrame-Mechanizm

### 1BX//00856 Variant 1

20 X 40 X 1,5 SquareTube



### Variant 2

20 X 40 X 1,5 SquareTube



## Adaptors/ Hinge

Product Code: 1BX//00856-
3 Useseven piecefor a set




| | |
|---|---|
| **Material** | 2,5mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 250g. |
| **Colli Pallette** | |
| **Measure** | **340x500x2201300X1200X1200mm 1003.000 (30 Colli)** |
| **Weight** | 25 kg.750 kg. |

| | |
|---|---|
| **Material** | 3mm Steel |
| **Surface** | Galvanized |
| **Weight** | 225g |
| **Colli Pallette** | |
| **Measure** | **500X1200X1200mm** |
| **Quantity** | 6500 |
| **Weight** | 1465 kg |

| Prodcut Code | Mechanizm Width |
|---|---|
| 1BX//00856 | 185X1900 |
| 1BX//00856 | 630x1900 |
| Two Mechanim packed in stretch folio | |

Variant1




Variant2




**Packing Variants:**
1)72 pcs / palett(optimal for partial loads)
2)36 pcs / palett(optima for full truck load)
3)Hinges and other accessoiriespacked in collison the paletts.

## Small Mechanizms

### OnePieceMechanizm

| Prodcut Code | Bed Size |
|---|---|
| 1BX//00663/2 | 700 |
| 1BX//00663/3 | 800 |
| 1BX//00663/4 | 900 |
| 1BX//00663/5 | 1000 |




BedSize: fitsfor700mm –1.000mm beds
Surface: blackpowdercoated
Material: SquareTubeorFlatBar

NeededClaw: chooseon page21
NeededStopper: choosefromstoppersection

### OnePieceMechanizm

| Prodcut Code | Bed Size |
|---|---|
| 1BX//00663/13 | 700 |
| 1BX//00663/14 | 800 |
| 1BX//00663/15 | 900 |




### TwoPieceMechanizm

| Prodcut Code | Bed Size |
|---|---|
| 1BX//01028/1 | 700 |
| 1BX//01028/2 | 800 |
| 1BX//01028/3 | 900 |
| 1BX//01028/4 | 1000 |
| 1BX//01028/8 | 1200 |
| 1BX//01028/9 | 1400 |

BedSize: fitsfor700mm –1.000mm beds
Surface: blackpowdercoated
Material: FlatBar
Side Connector: 4 piecesincluded

NeededClaw: chooseon page25
NeededStopper: choosefromstoppersection

### TwoPieceMechanizm

| Prodcut Code | Bed Size |
|---|---|
| 1BX//02644/1 | 700 |
| 1BX//02644/2 | 800 |
| 1BX//02644/3 | 900 |
| 1BX//02644/4 | 1000 |
| 1BX//02644/5 | 1200 |
| 1BX//02644/6 | 1400 |




**Illustrationone–PieceMechanizm**

**IllustrationTwo-PieceMechanizm**

Product code: 1BX//01186/1




| | |
|---|---|
| **Material:** | 3 mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 180g |

Product code: 1BX//00662/1




| | |
|---|---|
| **Material:** | 2,5 mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 180g |

Product code: 1BX//01028/5




| | |
|---|---|
| **Material:** | 3 mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 180g |

Product code: BX//01028/6






| | |
|---|---|
| **Material:** | 3 mm Steel |
| **Surface:** | Powder coating |
| **Weight:** | 220g |







Head parts foot parts unmixed head

and foot part
seperatlypacked



**Note: The length can be adjusted according to customer demand**






**Note: The length can be adjusted according to customer demand**






**Note: The length can be adjusted according to customer demand**






**Note: The length can be adjusted according to customer demand**







Material: St-37-2

# MatracceStopper




## Product code: 1BX//00837/1

| | |
|---|---|
| **Material** | Ø10 Steel |
| **Surface** | Galvanized or Powder Coating |
| **Weight** | 650 g |




## Product code: 1BX//00837/2

| | |
|---|---|
| **Material** | Ø10 Steel |
| **Surface** | Galvanized or Powder Coating |
| **Weight** | 720 g |




## Product code: 1BX//00837/3

| | |
|---|---|
| **Material** | Ø10 Steel |
| **Surface** | Galvanized or Powder Coating |
| **Weight** | 720 g |

# Bedcorner

| | |
|---|---|
| **Material** | 3 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 220 g |

**1KO//00824/1**
H: 66mm
W: 160mm
D: 75mm

| | |
|---|---|
| **Material** | 3 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 420 g |

**1KO//00655/1** H: 130mm
W: 160mm
D: 75mm

| | |
|---|---|
| **Material** | 3 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 550 g |

**1KO//00654/1** H: 195mm
W: 160mm
D: 80mm

| | |
|---|---|
| **Material** | 3 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 540 g |

**KO//01026/1**
H: 185mm
W: 160mm
D: 75mm

| | |
|---|---|
| **Material** | 3 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 650 g |

**KO//01026/6**
H: 230mm
W: 160mm
D: 75mm

**KO//03358/1**
H: 85mm
W:88mm
D: 88mm



| | |
|---|---|
| **Material** | 3 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 400 g |

GreyorBlack

# Bedheadholderfrommetal

| | |
|---|---|
| **Material** | 4mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 556g. |
| **Colli Pallette** | |
| **Measure** | **210X500X160mm950X1200X1200mm** |
| **Quantity** | 301.500(50 Colli) |
| **Weight** | 16kg.834kg |

**KH 001637/1**
H: 399mm
W: 40mm

| | |
|---|---|
| **Material** | 4mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 556g. |
| **Colli Pallette** | |
| **Measure** | **210X500X160mm950X1200X1200mm** |
| **Quantity** | 301.500(50 Colli) |
| **Weight** | 16kg.834kg |

**KH 001638/1**
H: 520mm
W: 40mm

# Metal legs

**01321/3**
**H:130mm**
**T: 2mm**






**01321/2**
**H:100mm**
**T: 2mm**






**01321/4**
**H:150mm**
**T:2mm**






**Powder coating in any Ral colour**



# Metal legs

**01325/2**
**H:130mm**
**T: 2mm**










**01325/1**
**H:100mm**
**T:2mm**






**01325/3**
**H:150mm**
**T:2mm**



**Powdercoating**

## 1AK//02286/13




| | |
|---|---|
| **Material** | 10 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 6.110 g |

## 1AK//02286/14




| | |
|---|---|
| **Material** | 10 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 6.310 g |

## 1AK//02286/11




| | |
|---|---|
| **Material** | 10 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 6.500 g |

## 1AK//02286/12




| | |
|---|---|
| **Material** | 12 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 7.050 g |

**Powdercoatingin anyRalcoulor**

# Metal legs

RIGHT




H:46mm
W:200mm

**1AK//01462/1**

| | |
|---|---|
| **Material** | 1,5 mm Steel |
| **Surface** | Chrom and Powder Coating |
| **Weight** | 350 g |



LEFT




H:46mm
W:200mm

**1AK//01462/2**

| | |
|---|---|
| **Material** | 1,5 mm Steel |
| **Surface** | Chrom and Powder Coating |
| **Weight** | 350 g |




H:200mm

**1AK//03329/1**

| | |
|---|---|
| **Material** | 5/8 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 1.100 g |




H:130mm

**1AK//03343/1**

| | |
|---|---|
| **Material** | 5/8 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 1.100 g |

**Powder coating in any Ral colour**

# Metal legs

**1AK//02799**

| | |
|---|---|
| **Material** | 50 X 50 Profile |
| **Surface** | Powder Coating |
| **Weight** | 900-1.400 g |

**Note: The length can be adjusted according to customer demand**



**1AK//02866**

| | |
|---|---|
| **Material** | Ø16 X 1.5 Pipe |
| **Surface** | Powder Coating |
| **Weight** | 250-350 g |

**Note: The length can be adjusted according to customer demand**



**1AK//03340**

| | |
|---|---|
| **Material** | Ø20- Ø25 Pipe |
| **Surface** | Powder Coating |
| **Weight** | 350-450 g |

**Note: The length can be adjusted according to customer demand**




**Powder coating in any Ral colour**

## BX/00666-1



| | |
|---|---|
| **Material** | 5mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 490g. |




Note: Suitable For Gas Piston



| | |
|---|---|
| **Material** | 5mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 450g. |




Note: Suitable For Motors





### AK//03367-3

| | |
|---|---|
| **Material** | 2-2,5 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 1.350 g |

## 220 mm Bench






### AK//03367-1

| | |
|---|---|
| **Material** | 2-2,5 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 2.350 g |

## 420 mm Table






### AK//03367-2

| | |
|---|---|
| **Material** | 2-2,5 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 2.550 g |

## 520 mm Table





**AK//03368-3**

| | |
|---|---|
| **Material** | 25x25x1,5 mm Profile |
| **Surface** | Powder Coating |
| **Weight** | 1.350 g |

## 220 mm Bench






**AK//03368-1**

| | |
|---|---|
| **Material** | 25x25x1,5 mm Profile |
| **Surface** | Powder Coating |
| **Weight** | 2.350 g |

## 420 mm Table






**AK//03367-4**

| | |
|---|---|
| **Material** | 2-2,5 mm Steel |
| **Surface** | Powder Coating |
| **Weight** | 2.450 g |

## 420 mm Balcony Table



# Notes

# Notes

# Notes

# Notes

## Contact Us;


### Birkan Yağız Altın

**Sales and Production Director**

**Tel: +90 545 373 23 36**
**Mail:birkan.altin@sinovabedding.com**

### Selçuk Diri

**Sales Representative**

**Tel: +90 544 368 90 57**
**Mail:selcuk.diri@sinovabedding.com**

### Aykut Çelik

**Sales Representative**

**Tel: +90 543 914 44 48**
**Mail:aykut.celik@sinovabedding.com**

**Adress : Demirci Köyü Osb Mah. 7. Cad. No:3 , Sinop 57000**
**Mail.:info@sinovabedding.com**